

Supplemental Table 6. Saliva Shared 16S OTUs within and between subjects

By Subject	Percent Shared OTUs Intra-subject ^a	Percent Shared OTUs Inter-subject ^a	P value ^b
D1	78.41 ± 16.59	85.46 ± 11.62	0.6408
D2	77.13 ± 10.71	56.37 ± 14.15	0.1348
D3	71.95 ± 11.03	65.98 ± 13.22	0.3767
D4	58.83 ± 13.92	80.27 ± 9.63	0.8809
D5	65.54 ± 11.26	70.06 ± 11.40	0.6188
D6	72.68 ± 11.03	67.03 ± 11.44	0.3508
D7	76.97 ± 10.99	62.60 ± 12.84	0.1971
H1	85.18 ± 9.87	56.86 ± 20.28	0.1226
H2	68.63 ± 11.21	69.11 ± 11.56	0.5184
H3	26.16 ± 14.73	96.57 ± 2.01	0.9999
H4	90.78 ± 10.67	84.44 ± 14.80	0.3016
H5	89.17 ± 15.79	91.33 ± 5.10	0.4469
H6	87.53 ± 14.00	87.82 ± 14.74	0.5207
H7	89.08 ± 12.07	87.75 ± 15.35	0.4854
H8	43.15 ± 13.86	88.77 ± 5.41	0.9973
H9	62.68 ± 12.96	74.46 ± 9.25	0.7373

^aBased on the mean of 10,000 iterations. 1,000 random OTUs were sampled per iteration

^bEmpirical p-value based on the fraction of times the estimated percent shared OTUs for each subject exceeded that for different subjects